
**Microscopes — Designation of
microscope objectives —**

**Part 3:
Spectral transmittance**

*Microscopes — Désignation des objectifs de microscope —
Partie 3: Facteur de transmission spectrale*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	1
4.1 General	1
4.2 Spectral transmittance table or diagram	1
4.3 OSTD description	2
Bibliography	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT), see the following URL: [Foreword — Supplementary information](#).

The committee responsible for this document is ISO/TC 172, *Optics and photonics*, Subcommittee SC 5, *Microscopes and endoscopes*.

ISO 19012 consists of the following parts, under the general title *Microscopes — Designation of microscope objectives*:

- *Part 1: Flatness of field/Plan*
- *Part 2: Chromatic correction*
- *Part 3: Spectral transmittance*

Introduction

The spectral transmittance of microscope objectives is an important parameter that allows users to choose the appropriate product for a given application. Certain elements of glass material, cements, coatings, and optical design will have an effect on the spectral transmittance characteristics of microscope objectives. For example, one can choose to emphasize broad ranges of wavelengths or peak transmission in narrow bands or trade-off aberrations vs wavelength range. Therefore, the design of the lens set determines its spectral transmittance. A standard way to represent the spectral transmittance as a result of its design criteria was developed to address this important requirement.

Microscopes — Designation of microscope objectives —

Part 3: Spectral transmittance

1 Scope

This part of ISO 19012 specifies the relation of spectral characteristics between optical design and the description to microscope users for the spectral transmittance of objectives, as the guideline.

NOTE This part of ISO 19012 does not apply to objectives exclusively used on stereomicroscopes.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10934-1, *Optics and optical instruments — Vocabulary for microscopy — Part 1: Light microscopy*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 10934-1 and the following apply.

3.1

OSTD

objective spectral transmittance by design

spectral transmittance calculated under the following conditions:

- a) on-axis light path;
- b) internal absorption of transparent materials according to specifications by the materials manufacturer is included;
- c) reflectance of thin film coatings on optical surfaces according to their nominal value is included;
- d) internal absorption and surface reflectance of immersion media and specimen covering is neglected

Note 1 to entry: OSTD is usually expressed as a percentage.

4 Requirements


4.1 General

Transmittance data for microscope objectives given in catalogues, instruction manuals, websites, or other sources shall be labelled as OSTD.

When OSTD is used in the designation of microscope objectives according to this part of ISO 19012, then it shall be made in either of two ways described in [4.2](#) and [4.3](#).

4.2 Spectral transmittance table or diagram

See [Figure 1](#) for an example of an appropriate transmittance diagram.



Key

λ wavelength
 τ transmittance

Figure 1 — Example of spectral transmittance diagram

4.3 OSTD description

The OSTD description shall be in accordance with [Table 1](#).

Table 1 — OSTD of objectives

Spectral transmittance	Description ^a	Examples
$\tau_{\text{OSTD}} \geq 80 \%$	◎ $\lambda_1 - \lambda_2$ or High OSTD in $\lambda_1 - \lambda_2$	EXAMPLE 1 Designation of an objective with transmittance $\tau_{\text{OSTD}} \geq 80 \%$ in the wavelength range 400 nm to 700 nm: ◎ 400 - 700 or High OSTD in 400 - 700
	◎ λ_3 or High OSTD at λ_3	EXAMPLE 2 Designation of an objective with transmittance $\tau_{\text{OSTD}} \geq 80 \%$ at the wavelength 1 064 nm: ◎ 1 064 or High OSTD at 1 064

^a $\lambda_1, \lambda_2, \lambda_3$ are indications of wavelengths, in nanometres, and shall be included in the description.

Table 1 (continued)

Spectral transmittance	Description ^a	Examples
$\tau_{\text{OSTD}} \geq 25 \%$	$\bigcirc_{\lambda_1 - \lambda_2}$ or Nominal OSTD in $\lambda_1 - \lambda_2$	EXAMPLE 3 Designation of an objective with transmittance $\tau_{\text{OSTD}} \geq 25 \%$ in the wavelength range 340 nm to 1 100 nm: $\bigcirc_{340 - 1\ 100}$ or Nominal OSTD in 340 - 1 100
	\bigcirc_{λ_3} or Nominal OSTD at λ_3	EXAMPLE 4 Designation of an objective with transmittance $\tau_{\text{OSTD}} \geq 25 \%$ at the wavelength 340 nm: \bigcirc_{340} or Nominal OSTD at 340

^a $\lambda_1, \lambda_2, \lambda_3$ are indications of wavelengths, in nanometres, and shall be included in the description.

Bibliography

- [1] ISO 20473:2007, *Optics and photonics — Spectral bands*

.....

www.iso.org